

FIG. 1A






FIG. 1B







FIG. 1C








FIG. 2A






FIG. 2B






FIG. 2C



(A) World Server for Story Server Administration Center - Microsoft Internet Explorer	
File Edit View Favorites Tools Help	
Back Forward Stop Refresh Home Search Favorites History	Mail
Links ☐ americas ☐ pangea ☐ sanskrit * Address 🔊 http://arabic:7777/idio	<u></u>
administration center	4
Idlom WorldServer	
Translation Administration	
 Configure Translation Workflow Configure Translation Link Details Configure Database Record Translation 	
Linkage Administration	
> Add Project Links > Search for Project Links > Add Object Links > Search for Object Links	
Translation Workbench	
> Log in to StoryServer	D
& Done Done Local intranet	ntranet //



Project Manager		:			× -
File Project Conten	Contents Window Help				·
Projects	Contents of 'sethtest' (7 of 7 items)	(7 of 7 items	(s		
√	∇ Name	Type	Status	Who	
- High	[=] entry = sethtest	Template Template	Working Working		
KenSha	transaction use_functions_1	Template Template	Working Working		
Russ H	orig	Project			
Hussh	src	Project			
Hussh(target	Project			
	D				
△✓	∀				Δ

FIG. 3B



Add Project Link - Microsoft Internet Explorer	
File Edit View Favorites Tools Help	圓
子 Forwar	Print Real.com
ıpangea ⊜sanskrit [»] A <u>d</u> ı	JunkUlAdd/1,1293,0,00.html
Add Project Link	4
 After clicking submit, the browser may timeout, but it will keep working anyway If an error occurs in the process of copying objects, then it is possible that some objects will have been copied before the error occurred, and these objects should be deleted before 	ep working anyway s possible that some objects will hould be deleted before
 recreating the link. This process takes a long time. Most errors (cyclical links, invalid labels, etc.) will be caught immediately, so if it takes a long time then that probably means it is working. 	nvalid labels, etc.) will be caught t is working.
To search for existing project links and/or to delete project links, go here.	go here.
The label should be an alphanumeric string at least two characters long. It is normally set to the code of the target language.	ers long. It is normally set to the
To create new link details types, use this page.	
The default copy method should be used in most cases. To create alternate methods, consult the documentation.	te alternate methods, consult
MASTER PROJECT IS:	
Select a master project	•
SLAVE PROJECT IS:	
Select a slave project	D
LABEL IS:	COPY METHOD:
Copy link	default
Add	A
셸 Done	

OF E VOID WE

图 Search for Project Links - Microsoft Internet Explorer	XO-
File Edit View Favorites Tools Help	囲
- 中心	
mericas Cpangea Csanskrit » Address (Intp://arabic.7777/IDProtoLink	& €
	1
Search for Project Links	
This page allows you to search for and optionally delete project links.	
To add new project links, use <u>this page</u> .	
If the project you are looking for does not appear in the drop down list, then no project links exist with that project as the master/slave.	
MASTER PROJECT IS:	
Any project	
SLAVE PROJECT IS:	
Any project	
LABEL IS: COPY METHOD:	
Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything Anything	
<u>G0</u>	-
	Þ
DoneDone	

	Edit Project Links - Microsoft Internet Explorer			,		×
	File Edit View Favorites Tools Help]	画
				(
	Back Forward Stop Refresh Home Search Favorites History	ites History	Mail Print Re	Real.com		
	Links ⊜americas ⊜pangea ⊜sanskrit * Address 🗗 ing&d	diom_label=anyth	Address 🙉 ing&idiom_label=anything&idiom_details=anything&idiom_arbitrary=anything 🗢	g&idiiom_arbitrary=anyt	ing트 今Go	30
						4
	Edit Existing Project Links					
	This page allows you to view and optionally delete project links.	e project lii	ıks.			
	Click here to enter a new search without saving any changes.	ny change	ý			
	To add new project links, click here.					
	PROJECT LINK QUERY RESULTS:	UERY RESULTS				_
	PROJECTS	LABEL IS:	LINK DETAILS:	сору МЕТНОD:	DELETE?	
	MASTER: >sethtest>orig	Q.	Jei Limo	#!		
-	SLAVE: >sethtest>src	25	COPY LIIN	uelauit]	
	MASTER: >Demos>Island Hopper>images	٥	المرور	‡: c}C		
	SLAVE: >Demos>Island Hopper(source jp)>images	<u>ا</u>	Copy Link	uerault	.	
-			ļ			
_	MASTER: >HOHTest>test1	1004	Jai I yao	threford.		
	SLAVE: >HOHTesb-test2source	teattopy	בווא	מפומחוו	ן נ	
	>Demos> source>Music a la Mode(source ip)					
	MASTER: >Images>Content>Sounds	2.	Conv. Link	default		
	SLAVE: >Demos>_original	-	בווים לקסט	Ocean	ַנ	
					T	
	MASTER: >setntest>src	ā	Translate to German	default		
	SLAVE: >sethtest>target	3)	_
						Þ
				1000		
Ě	@ Done		<u>型</u> —	Fig. Local intranet		M

OIPE VOID THAT THAT THE

Employed Print Real.com Print Rea	Print Real.com Print Real.com DIAdd/1,1283,0,00.html	Search Favorites History Mail Print Real.com Search Favorites History Mail Print Real.com Address Thtp://arabic.TTT/IDLinkUIAdd/1,1283,0,00.html Search Favorites History Mail Print Real.com Indicate Most links will be created automatically when master and slave objects to create the link. acters long and can contain only alphanumeric characters. Spage LINK DETAILS: LINK DETAILS: Copy link Edge Edge	Print Real.com	Print Real.com Print Real.com
Print Real.com JIAdd/1,1283,0,00.html Il be created automatically whe o create the link.	Print Real.com Prin	Print Real.com Prin	Print Real.com	Print Real.com Print Real.com Print Real.com Print Real.com Print Real.com Print Real.com Ocreate the link. Only alphanumeric characters
JiAdd/1,1283,0,00.html マータの は be created automatically when o create the link.	UlAdd/1,1283,0,00.html □	UlAdd/1,1283,0,00.html	UlAdd/1,1283,0,00.html	UlAdd/1,1283,0,00.html 中 今 6
ll be created automatically when o create the link.	Il be created automatically when o create the link.	Il be created automatically when o create the link.	Il be created automatically when o create the link.	Il be created automatically when o create the link.
een individual objects. Most links will be created automatically when. D for the master and slave objects to create the link. Two characters long and can contain only alphanumeric characters. Jetter code for the target language. go to this page.	reen individual objects. Most links will be created automatically when by. D for the master and slave objects to create the link. two characters long and can contain only alphanumeric characters. I letter code for the target language. object links, use this page. LABEL IS: LINK DETAILS: Copy link Copy link	ween individual objects. Most links will be created automatically when p. ID for the master and slave objects to create the link. It wo characters long and can contain only alphanumeric characters. It wo characters long and can contain only alphanumeric characters. It wo characters long and can contain only alphanumeric characters. It wo to this page. I object links, use this page. I object links, use this page. Copy link Copy link Add	ween individual objects. Most links will be created automatically when pp. ID for the master and slave objects to create the link. I two characters long and can contain only alphanumeric characters. I two characters long and can contain only alphanumeric characters. I two characters long and can contain only alphanumeric characters. I two characters long and can contain only alphanumeric characters. I two characters long and can contain only alphanumeric characters. I do better code for the target language. I object links, use this page. I LINK DETAILS: Copy link	ween individual objects. Most links will be created automatically when ID for the master and slave objects to create the link. I two characters long and can contain only alphanumeric characters. I two characters long and can contain only alphanumeric characters. I two characters long and can contain only alphanumeric characters. I go to this page. I LINK DETAILS: Copy link Copy link Add
D for the master and slave objects to create the link. two characters long and can contain only alphanumeric characters. letter code for the target language.	two characters long and can contain only alphanumeric characters. Two characters long and can contain only alphanumeric characters. Two characters long and can contain only alphanumeric characters. Two characters long and can contain only alphanumeric characters. Type to this page. Object links, use this page. LABEL IS: Copy link Copy link	ID for the master and slave objects to create the link. two characters long and can contain only alphanumeric characters. two characters long and can contain only alphanumeric characters. s, go to this page. I object links, use this page. LABEL IS: LABEL IS: LABEL IS: LAMEL IS: Add	ID for the master and slave objects to create the link. two characters long and can contain only alphanumeric characters. lo letter code for the target language. lobject links, use this page. LABEL IS: LINK DETAILS: LABEL IS: LABEL IS:	ID for the master and slave objects to create the link. two characters long and can contain only alphanumeric characters. o letter code for the target language. s, go to this page. I object links, use this page. LABEL IS: LABEL IS: Add Add
two characters long and can contain only alphanumeric characters. letter code for the target language. go to this page.	two characters long and can contain only alphanumeric characters. I letter code for the target language. y go to this page. object links, use this page. LABEL IS: LABEL IS: Copy link Copy link	t two characters long and can contain only alphanumeric characters. o letter code for the target language. s, go to this page. I object links, use this page. LABEL IS: Copy link Add Add	t two characters long and can contain only alphanumeric characters. s, go to this page. I object links, use this page. LABEL IS: Add Add	t two characters long and can contain only alphanumeric characters. o letter code for the target language. s, go to this page. I object links, use this page. LINK DETAILS: Copy link Add
go to this page.				
	DETAILS:	DETAILS:	DETAILS:	DETAILS:
	LINK DETAILS: Copy link	LINK DETAILS: Copy link Add	LINK DETAILS: Copy link Add	LINK DETAILS: Add Add
		Copy link	Copy link	Copy link
		Copy link	Copy link	Copy link
		Add	Add	

P E VOTO SE TRADENTE

魯 Search for Object Links - Microsoft Internet Explorer	X
File Edit View Favorites Tools Help	
Back Forward Stop Refresh Home Search Favorites History Mail	Print Real.com
Links □americas □pangea □sanskrit " Address 📵 http://arabic:7777/IDProtoLinkUIAdd/1,1278,0,00.html	inkUlAdd/1,1278,0,00.html
	4
Search for Object Links	
Here you can search for existing object links which you can view and edit.	and edit.
To add new object links, use this page.	
Generally, be sure to specify at least a few constraints. There will usually be many links, and retrieving them all will be a slow process.	usually be many links, and
MASTER OBJECTS ARE IN:	
Any project	Þ
SLAVE OBJECTS ARE IN:	
Any project	۵
LABEL IS:	
Anything $ abla$	
05	
	Þ
魯 Done	Local intranet

থ্যি	Edit Object Links - Microsoft Internet Explorer	t Explorer								لايا	× - -
	File Edit View Favorites Tools	Help									
-	金 → ◆ ◎ ← ◆ Back Forward Ston Befresh	₩ ₩ ₩	Search Favorites History	*		Wai	Print Real com		E		
	americas ⊂ pangea〔		- ၂	49&idiom_	slave_id=am	ything&idform	<u>label</u> -am	ything&id	iom_details=ar	1	фG0
<u> </u>	Edit Existing Object Links										1
	Here you can edit individual object links.	object lir	ıks.								
$\stackrel{\smile}{=}$	Generally, it should be pretty rare that you need to edit links.	rare tha	at you nee	ed to ec	Jit links						
	If you delete either the master or slave object (from the StoryServer Java tools) the link will be removed automatically.	er or slav	ve object	(from tl	ne Stor	yServer	Java	tools)	the link	will be	
	You can safely use your browser's back button to leave this page, or click the save button without making any changes. Either method will give you the chance to enter a new search.	wser's b method	ack butto	n to lea /ou the	tve this	page, c e to ente	or click er a ne	the s	ave buttc arch.	on witho	
	If you need to add a new link, use this page.	ς, use <u>thi</u>	s page.								
	Click here to enter a new search without saving any changes.	arch with	nout savir	ig any (change	ဟ <mark>ွ</mark> ်					
			OBJECT LINK QUERY RESULTS:	K QUERY	RESULTS						
	OBJECTS	MGMT ID	LABEL			LINK DETAILS	(DELETE?	
	MASTER AdsList SLAVE AdsList(JP source)	/ci/672 /ci/71b	Д			Translate to Japanese	Japanese		>		
	7 1				 						
	MASTER Browse	/ci/673	<u>0</u>		<u> </u>	Translate to German	Gorman		F		
	SLAVE Browse(JP_source)	/ci/71c	5		-	ומוואמנים נס				ן כ	
	MASTER Code	/ci/674	٩								
	SLAVE Code(JP_source)	/ci/71d	<u>ا</u>			Copy IIIIK					
	MASTER CodeBrws	/ci/678				Coov link					Þ
<u> </u>) Done								[四] Local intranet		
]			

1.2.3.






FIG. 4A






FIG. 4B






FIG. 4C






FIG. 4D






FIG. 4E






FIG. 4F






FIG. 5A




FIG. 5B






FIG. 5C




FIG. 5D






FIG. 5E



